

A complete all round UC meeting room set up in just one panel, one purchase

Clevertouch Edge gives you complete access to all your favourite apps directly from the screen. With Clevertouch Edge you only need to buy one panel to create a complete all round UC meeting room setup.

Sleek all-in-one design

The all-in-one design seamlessly integrates an intelligent Sony camera system, advanced audio, interactive whiteboarding, and an intuitive launcher into a single, comprehensive collaboration display. This powerful combination enhances the meetings and provides flexible, creative interactions.



A total transformation for collaboration in the workplace.



In-built Sony top-mounted camera

48MP Pixel and 90° FOV with 5M distance focus, ePTZ and face detection auto tracking.

Quick Launch Digital Buttons

Essential commands and software at your fingertips.

Access and set up your workplace apps

Using Google play to set up workplace apps and lock the screen to disable download access'

Crystal Clear Audio Experience

Front-mounted 2x 20W speakers and 2x 10W subwoofers



Advanced Security Protection

Highly secure with the option to lock down settings and functionality.

In-built Award-Winning Digital Signage

CleverLive software is included with no subscription fees

Any Screen, Any Time

Login to any connected Clevertouch with your personal profile with Integrated NFC.

FlatFrog In-Glass™ Technology

The most accurate writing experience



clevertouch.com | info@clevertouch.com

Secure by design

For a security-conscious company, you can add Edge to your preferred management platform and prohibit access to the Google PlayStore, specific apps, specific settings and users.



Google Admin Workspace



Microsoft Intune

Upgrade your solution

Combine Clevertouch Edge with an Intel Windows 10 Pro i5 or i7 OPS to enable you to load your existing apps and software from your network and ensure compatibility with your existing infrastructure.









Custio. Bearita temodiam, cum velis accuptus ent harumque nia in nobistium sit pero etum hitia doluptia nobitas peliquo incimus molessere cullaut ut quasit eum ra et

Experience exceptional virtual collaboration camera quality, with AI capabilities to always keep the speaker at the centre of the screen.

Adapts to mainstream cloud meeting apps and supports audio and video, 4K data sharing, and dual-stream meetings.

SONY

- Camera Pixel 48 MP
- Camera FOV 90°
- 5M Camera Focus Distance
- Auto tracking via face detection
- ePTZ (electronic pan, tilt, and zoom)
- Adapts to common cloud meeting apps
- HD Hardware Encoding and Decoding
- Supports 4k Video
- Voice Tracking





Support your hybrid meeting with your chosen platform

Platform Agnostic

With Clevertouch Edge, you aren't confined to just one UC platform. You can switch between platforms depending on the requirements of meeting participants.














Interactivity in the meeting room

Enhance collaboration. Foster ideas. Increase engagement.

Collaboration for meetings



Whiteboard with our own LYNX Whiteboard or use third party apps like Miro or Microsoft Whiteboard



Access your files from Google Drive, OneDrive, or Dropbox



Utilise images, videos, webpages, pdfs and more from leading media sources



A natural feel to writing with our new pen



Split-screen mode for simultaneous use between two users



Annotate in real-time over any document

Flexible designs & templates

Users can engage dynamically with a large targeted audience to display messages that incorporate media formats including text, photos/images, videos, web pages, RSS feeds, and social media.

APEX ARCHITECTS ARCHITECTS Messes Suns 1 Messes

Live news feeds

Provide easy access to company news and industry relevant information for your employees to keep them on top of developments in fast-moving work environments. Set up custom news for each display and communicate more effectively.

Unlock the power of digital signage

Clevertouch EDGE is equipped with built-in digital signage at no extra cost. When the screen is not being used in meetings, you have the ability to switch to a communication channel that shares information in real-time.





Content triggering systems

Our systems allow you to set up bulletin alerts and emergency messages for instant communication across your company. Whether you need to update everyone on the latest health and safety guidelines or quickly communicate internal changes, our content triggering systems are there to help.

Flexibility is key in meetings

In-person, remote or hybrid - Clevershare gives you the freedom to host your meeting, your way. 62% of Enterprise users have more than 3 Unified Communication platforms. You need to be able to enter the meeting room and have the tools available to simply start a meeting on any of those UC platforms, whilst connecting to the display, audio and visual equipment in the room.

One-tap to connect

With the App or CleverCast, it's just one-tap to connect. No wires, no drivers, no passwords. Colleagues and visitors alike will share the same easy-to-use experience.

Two methods, same experience



Clevershare app

Download it for free to any device. Enter the code from your UX Pro and instantly share content from your device to the large format display.

CleverCast

Plug the USB-C dongle into your laptop and click the button to share your screen with the UX EDGE Pro display.

Intelligent Whiteboard 16 ms ultra-low Handwriting recognition writing latency Convert your handwriting Synchronous and precise and drawings to digital forms writing on screen Multiple pen **Full-screen annotation** thicknesses in full color Taking a snapshot of any webpage or app and pasting it to your Optional handwriting thickness whiteboard app for annotation and unlimited colour choices Remote bidirectional < 8 A A B Multi-touch gestures collaboration Select, move, zoom, and One tap to share whiteboard erase with gestures content for real-time collaboration Co-authoring Scan to take away Scan the QR code to take Two people can write on the away whiteboard content whiteboard concurrently

11



Multiple Windows for Multiple Apps

Effortlessly multitask with multiple apps or browsers running simultaneously at top speed without any lag.



Picture in Picture (PiP)

Picture in Picture (PiP) allows you to connect a separate source, such as a laptop, and view that device's screen as a window within your Clevertouch EDGE display, whilst simultaneously viewing multiple windows on the screen.

Here's how Clevertouch can design your office





Lobby

- 165" CleverWall LED Video Wall
- 55" CM Pro Commercial Display
- Digital signage
- · Wayfinding tower

Reception

- 86" CM Pro Commercial Display
- · One-touch digital signage pad
- Sign-in tablet



Individual Pods

- 43" CM Pro Commercial Display
- · Screen sharing technology
- Camera / microphone
- · Room booking panel

Huddle Room

- 65" Clevertouch Edge Interactive Display
- Screen sharing technology
- Camera / microphone
- Room booking panel



Meeting Room

- 75" CM Pro Commercial Display
- Screen sharing technology
- Camera / microphone
- · Room booking panel

Boardroom

- 86" Clevertouch Edge Interactive Display x2 (dual screen)
- Video bar
- Meeting touch pad
- Room booking panel

Sales Team

- 65" Clevertouch Edge Interactive Display
- Screen sharing technology
- Digital signage option when not in use
- 55" CM Pro Commercial Display showing at-a-glance meetings





Scan the QR code above to access the virtual Tour

14

Facilities/IT

• Online access to account to control and update all devices

Coffee Shop

- 55" CM Pro Menu Boards
- QR code technology

Clevertouch Edge Specifications

Display

Diagonal Size	65" 4K, 75" 4K, 86" 4K	
Screen Type	LCD - Direct LED Backlight	
Aspect Ratio	16:9	
Display Colours	1.07 Billion (10 bit)	
Resolution	4K UHD (3840x2160 @60Hz)	
Response Time	3ms	
Refresh Rate	60Hz	
LCD Viewing Angle	178°	
Brightness	500 cd/m2	
Contrast Ratio	4000:1	
Dynamic Contrast Ratio	6000:1	
Glass Hardness	AG Tempered Glass - Mohs Level 7	
Glass Thickness	3mm	
Glass Type	Low Parallax 1mm Air Gap - Heat tempered - Anti Glare & Anti Smudge for durability - Super Glide Surface***	
Antibacterial Glass	Yes	
Antibacterial Power Button	Yes	
Main Board	RK3588	
Life of Screen	50,000 Hours	
NTSC	72%	

Interactivity

Writing Technology	Flat Frog InGlass IR Technology - M5	
NEW Continuous Touch Points	40	
Touch Resolution	32768x32768px	
Response Time	≤5ms	
Touch Accuracy	<1mm	
Minimum Object Size	2mm	
Touch Tool	Finger, passive pen, opaque objects, paint brushes	
Simultaneous Writing	Yes	
Ink In Tools	Yes - LYNX	
Pens Included	2	
NEW Pen Type	Dual Recognition Stylus Infinity Stylus	
Pen Holder	Integrated magnetic pen holders	
Pen Tip Diameter	2.8mm/6.3mm	
Pen & Touch Differentiation	Yes	
Pen Identities	2	
Palm Rejection	Yes	
Annotation Over Any Source	Yes	
Compatibility	Windows, Linux, Mac, Android, Chrome	
Tracking Rate	≥1m/s	
Scan Rate	≥100hz	
Gestures & Edge Swipes	Windows Supported, OSX with additional Driver	

Connectivity

OPS Slot	1 - Intel Spec 80Pin	
HDMI In	3	
HDMI Out	1	
USB-A 2.0	3	
USB Touch (type B)	3	
NEW USB A 3.0 (faster data transfer)	2 x USB Front Type A 3.0 with faster data transfer 2 x USB Side Type A 3.0 with faster data transfer	
NEW USB C (Video, Audio & Touch)	1 x USB Side Type C with video, audio, touch & network 1 x USB Front Type C with video, audio, touch, network, and 100W charging	
NEW USB C Out	1 x USB Type C Out with video, audio, touch and network	
LAN In (RJ45)	1	
LAN Out (RJ45)	1	
RS-232	1	
Wake-on-Lan	Yes	
Wireless Adapter 2.0 + WAP	Yes	
Clevertouch WiFi Module	Yes	
Bluetooth	Yes - 5.2	
Displayport In	1	
Audio In	1	
Optical Out	1	
Headphone	1 (3.5mm)	

3
Yes - Integrated
Yes
8 Array Microphone
180°
8m
32kHz
IEEE 802.11a/b/g/n/ac/ax with 2 × 2 MIMO (hotspot only) (both 2.4 and 5 GHz bands)
6E
Capable of speeds up to 1Gbps

Clevertouch Edge Specifications

Camera

Camera	4K Sony integrated camera		
Camera Pixel	48 MP		
Camera FOV	90°		
Camera Focus Distance	5M		
Camera Tracking	Auto tracking via face detection		
ePTZ	Yes		
Adapts to mainstream cloud meeting apps	Yes		
Supports 4k Video	Yes		
Voice Tracking	Coming soon		

Audio

NEW Dual Front Facing, Bass Enhanced Speakers	2 x 20W Speaker + 2 x 10W Subwoofer
Audio Out	Yes
SPDIF / Fibre	Yes
Sound Channel	2.2
Line Array Microphone (noise cancelling)	8 Array Microphone
Super Wide Sound	Yes

Power

Power Requirements	100-240V ~ 50/60Hz	
Power Consumption (Normal)	65" 100W 75" 135W 86" 162W	
Power Consumption (Standby)	≤0.5W	
Ultra Quiet Fanless Design	Yes	

Computing

NEW Operating System	Android 13
NEW System Version	LUX 13
Access to Google Play Store Apps	Yes (Certified)
Access to Microsoft Apps	Yes (Certified)
Access to Google Cloud Services	Yes (Certified)
Access to Video Conferencing Apps (MS Teams, Google Meet, Zoom etc)	Yes (Certified)
NEW RAM	8GB
NEW Internal Storage	128GB
СРИ	Quad Core A76 + Quad Core A55
GPU	Mali G610 MC4
Android Resolution	4K
Integrated LUX UI	Yes
NEW System Architecture	64-bit

Operating & Storage Environment

Operating Temperature	0° to 40°	
Storage Temperature	-20° to 60°	
Operating Humidity	10% to 90% RH	
Storage Humidity	10% to 90% RH	
Altitude	Below 5000 metres	

Clevertouch Edge Built-In Features

вуом	Yes	
Handwriting Recognition	Yes - LYNX Pro	
Unlimited Multi-Floating Resizable Windows	Yes	
Split Screen Support	Yes	
Ecosystem of Extensive Apps with Secure and Fast Download	Yes	
OpenSDK Support	Yes	
Intelligent O&M	Yes	
CleverLive™ Embedded Digital Signage	Yes	
Clevershare™ Mirroring Any Device To The Board	Free for the life of the screen (touch back)	
Miracast (WiFi Direct)	Yes	
AirPlay	Yes	
Chromecast	Yes	
Integrated Personalised Accounts Profiles	Yes	
Cloud Account Access	OneDrive, Google Drive, Dropbox	
CleverLive Rooms™ Embedded Room Booking	Yes	
Customizable Welcome Page with option to integrate logo, clocks apps and more (CleverLauncher™)	Yes	
NEW LynxShare™	Yes	
NEW LynxCloud™	Yes	
Whiteboard Annotation	Yes	
Email Out Direct From Touchscreen	Yes	
Scan QR Code For Saving Work	Yes	
Alerts and Announcements	Yes	
Over-the-Air Updates	Yes	
Remote Management Of Touchscreens (MDM)	Yes - One year license	
Codec	Yes	
H.264 + H.265	Yes	
HD Hardware Encoding and Decoding	Yes	

Clevertouch Edge Specifications

Physical Spec

Panel Dimensions L x H x D	65" 1510 x 937 x 83mm 75" 1731 x 1061 x 85mm 86" 1979 x 1202 x 85mm	
Packed Dimensions L x W x D	65" 1654 x 208 x 1026mm 75" 1890 x 225 x 1186mm 86" 2138 x 225 x 1328mm	
Thickness of machine and wall mount	65" 113mm (WIB9060H) 75" 115mm (WIB9060H) 86" 115mm (WIB9060H)	
Net Weight	65 " 40.6kg 75 " 54.70kg 86 " 68.85kg	
Gross Weight	65 " 49.5kg 75 " 67.00kg 86 " 85.30kg	
VESA Mount Point	65" 600 x 400mm 75" 800 x 400mm 86" 800 x 600mm	

Inside your Clevertouch Box

(1) Camera Lens Cover

el Dimensions L x H x D	65" 1510 x 937 x 83mm 75" 1731 x 1061 x 85mm 86" 1979 x 1202 x 85mm	What's In The Box	(1) Clevertouch Edge (1) 3M HDMI Cable
ked Dimensions L x D	65" 1654 x 208 x 1026mm 75" 1890 x 225 x 1186mm 86" 2138 x 225 x 1328mm		(1) 3M Length USB cable (A-B) (1) 1.5M USB C Cable
ckness of machine and I mount	65 " 113mm (WIB9060H) 75 " 115mm (WIB9060H) 86 " 115mm (WIB9060H)		(1) 3M Regional Power Cable (1) Remote Control (2) Batteries for Remote Control
Weight	65 " 40.6kg 75 " 54.70kg 86 " 68.85kg		(2) Dual Recognition Stylus (1) User Guide
ss Weight	65" 49.5kg 75" 67.00kg 86" 85.30kg		(1) Quick Install Guide (1) Clevertouch WiFi Module
A Mount Point	65" 600 x 400mm 75" 800 x 400mm 86" 800 x 600mm		(1) NFC card (1) CleverCast

Support & Installation

For all Clevertouch product support, visit: support.clevertouch. com The installation of this product should be completed by a qualified installer. Use of components not supplied by Clevertouch or not meeting minimum specifications may impact performance, safety and warranty. For more information, visit: clevertouch.com



Warranty

Warranty term and upgrade options vary by region. Contact your local reseller or distributor for information and visit clevertouch. com/about/warranty

Compliance & Certification

Regulatory Certification

CE, FCC, UL, Energy Star & EEC











Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance. Should the above-mentioned change in the document become necessary, the document may be updated without written notice.